

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6463352".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:04
L2	1	1 and ((chang\$3 or modif\$9 or edit\$3) with (attribute\$1 or object\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:07
L3	1	1 and (webpage\$1 or html\$1 or http\$1 or (web adj page\$1) or url\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:54
L4	1	1 and ((webpage\$1 or html\$1 or http\$1 or (web adj page\$1) or url\$1) same (modif\$10 or alter\$3 or chang\$3 or edit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:07
L5	2	"6470227".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:07
L6	1	2 and ((chang\$3 or modif\$9 or edit\$3) with (attribute\$1 or object\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:07
L7	1	6 and ((chang\$3 or modif\$9 or edit\$3) with (attribute\$1 or object\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:07
L8	1	5 and ((chang\$3 or modif\$9 or edit\$3) with (attribute\$1 or object\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:10
L9	2	(1 or 5) and attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:12
L10	78	http near5 dir	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:12

L11	136	http and definitions and (child adj object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:12
L12	2	(1 or 5) and script\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:16
L13	1	1 and url\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:19
L14	1	1 and (port\$1 or socket\$1 or path\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:51
L15	1	1 and (port\$1 or socket\$1 or path\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:52
L16	6	"6470227".UREF. OR "6463352".UREF.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:53
L17	3	16 and (webpage\$1 or HYPERTEXT OR html\$1 or http\$1 or (web adj page\$1) or url\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:57
L18	31	("4590550"   "4967381"   "5196997"   "5586041"   "5646870"   "5654903"   "5715181"   "5719495"   "5761064"   "5790977"   "5841676"   "5883437"   "5930138"   "5964643"   "5978071"   "5991699"   "5995912"   "6027842"   "6055463"   "6163801"   "6240329"   "6303395"   "6370448"   "6370487"   "6424876"   "6445969"   "6470227"   "6487472"   "6499007"   "6528219"   "6532427").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 18:55
L19	5	("6115646"   "6256676"   "6389588"   "6442748"   "6470227").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 18:56

L20	13	("4141069"   "4725970"   "5307260"   "5357439"   "5493501"   "5691906"   "5694325"   "5850345"   "5873251"   "5974246"   "6021359"   "6434440"   "6470227").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 18:56
L21	3	("6408218"   "6463352"   "6564154").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 18:57
L22	9	(18 OR 19 OR 20 OR 21) and (webpage\$1 or HYPERTEXT OR html\$1 or http\$1 or (web adj page\$1) or url\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:58
L23	6	22 AND (DEFINITION\$1 OR LIBRARY OR ATTRIBUTE\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 19:00
L24	2	"6658571".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 19:01
L25	10	("20010037450"   "5457798"   "5504814"   "5764889"   "6047323"   "6131165"   "6243692"   "6247127"   "6289458"   "6321337").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 19:01
S1	2	"5901286".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:09
S2	0	"5901286".pn. and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:09
S3	2	"5901286".pn. and request\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:10
S4	1	"5901286".pn. and ((memory or stor\$3 or buffer\$3 or queue\$3 or cach\$3)with (request\$1 or message\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:11
S5	1	"5901286".pn. and (memory or stor\$3 or buffer\$3 or queue\$3 or cach\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:12

S6	1	("5901286".pn. and (memory or stor\$3 or buffer\$3 or queue\$3 or cach\$3)) and (request\$1 or message\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:15
S7	0	"5901286".pn. and pars\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:15
S8	1	"5901286".pn. and script\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:27
S9	2	("20020026514").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:30
S10	1	"5901286".pn. and object\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:30
S11	0	"5901286".pn. and attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:31
S12	28	"5901286".URPN.	USPAT	OR	OFF	2004/03/31 11:31
S13	24	"5901286".URPN. and (object\$1 or attribute\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:33
S14	6	("5901286".URPN. and (object\$1 or attribute\$1)) and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:35
S15	0	"5901286".pn. and soap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:35
S16	0	soap and "5901286".URPN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:35

S17	65157	soap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:35
S18	99	soap and 719/3\$\$\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:44
S19	3	(soap and 719/3\$\$\$.ccls.) and 709/223-224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:51
S20	4	"5826040".pn. or "5453933".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:37
S21	3	("5826040".pn. or "5453933".pn. ) and object\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 11:52
S22	1044	tool adj manag\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:44
S23	4022	719/3\$\$\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:44
S24	17	(tool adj manag\$6) and 719/3\$\$\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:51
S25	288	(http adj request\$1) and soap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:51
S26	4955	709/223-224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:51

S27	33	709/223-224.ccls. and ((http adj request\$1) and soap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:54
S28	1	connection\$1 and "5901286".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:55
S29	155810	child and parent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:56
S30	425	child same parent same object\$1 same attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 12:56
S31	25	(child same parent same object\$1 same attribute\$1) and 719/3\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:21
S32	1	"5881237".pn. and (fault\$1 or malfunction\$1 or error\$1 or misconfigur\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:26
S33	2961	714/4.ccls. or 714/24-26.ccls. or 714/31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:27
S34	2796	unable near5 (communicate or transmit or forward)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:28
S35	29	(unable near5 (communicate or transmit or forward)) and (714/4.ccls. or 714/24-26.ccls. or 714/31.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:28
S36	20	((unable near5 (communicate or transmit or forward)) and (714/4.ccls. or 714/24-26.ccls. or 714/31.ccls.)) and network\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:29

S37	16296	diagnostic near2 (unit or device or terminal or machine or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:11
S38	173	(diagnostic near2 (unit or device or terminal or machine or server)) and (714/4.ccls. or 714/24-26.ccls. or 714/31.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:29
S39	1	((diagnostic near2 (unit or device or terminal or machine or server)) and (714/4.ccls. or 714/24-26.ccls. or 714/31.ccls.)) and (unable near5 (communicate or transmit or forward))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:33
S40	27	("5042027"   "5247517"   "5315580"   "5371883"   "5459837"   "5586121"   "5627766"   "5627886"   "5640505"   "5646864"   "5666481"   "5696701"   "5732218"   "5781703"   "5787253"   "5854889"   "5862346"   "5870557"   "5870559"   "5881237"   "5884244"   "5964891"   "6031528"   "6230287"   "6298457"   "6304982"   "6363053"). PN.	USPAT	OR	OFF	2004/03/31 13:30
S41	15	"5964891".URPN.	USPAT	OR	OFF	2004/03/31 13:31
S42	339	communicat\$4 near4 disable near4 (device or unit or terminal or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:34
S43	8	able with communicat\$4 with disable with (device or unit or terminal or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:43
S44	23	("4589068"   "5179695"   "5355498"   "5394544"   "5434998"   "5473599"   "5537653"   "5608867"   "5630049"   "5701488"   "5809248"   "5812748"   "5815653"   "5832503"   "5870540"   "5870601"   "5958049"   "5964891"   "5974562"   "5978936"   "6000041"   "6199033"   "6453426").PN.	USPAT	OR	OFF	2004/03/31 13:36
S45	3926	communicat\$4 with (crash\$2 or disable\$2) with (device\$1 or unit\$1 or terminal\$1 or client\$1 or system\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:13

S46	35	(communicat\$4 with (crash\$2 or disable\$2) with (device\$1 or unit\$1 or terminal\$1 or client\$1 or system\$1)) and (714/4.ccls. or 714/24-26.ccls. or 714/31.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:45
S47	24	((communicat\$4 with (crash\$2 or disable\$2) with (device\$1 or unit\$1 or terminal\$1 or client\$1 or system\$1)) and (714/4.ccls. or 714/24-26.ccls. or 714/31.ccls.)) and @ad<"19990501"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:12
S48	0	vaughn.xp. and diagnos\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 13:48
S49	27	("5042027"   "5247517"   "5315580"   "5371883"   "5459837"   "5586121"   "5627766"   "5627886"   "5640505"   "5646864"   "5666481"   "5696701"   "5732218"   "5781703"   "5787253"   "5854889"   "5862346"   "5870557"   "5870559"   "5881237"   "5884244"   "5964891"   "6031528"   "6230287"   "6298457"   "6304982"   "6363053"). PN.	USPAT	OR	OFF	2004/03/31 13:59
S50	79	"5870559".URPN.	USPAT	OR	OFF	2004/03/31 14:10
S51	1	(diagnostic near2 (unit or device or terminal or machine or server)) and "5870559".URPN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:11
S52	43192	"714"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:11
S53	29269	diagnostic near2 (unit or device or terminal or machine or server or system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:11
S54	570	(diagnostic near2 (unit or device or terminal or machine or server or system)) and "714"/\$.ccls. and network\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:12
S55	965	714/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:12



S56	42	714/4.ccls. and ((diagnostic near2 (unit or device or terminal or machine or server or system)) and "714"/\$.ccls. and network\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:12
S57	21	(714/4.ccls. and ((diagnostic near2 (unit or device or terminal or machine or server or system)) and "714"/\$.ccls. and network\$3)) and @ad<"19990501"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:14
S58	1243	communicat\$4 near4 (crash\$2 or disable\$2)near4 (device\$1 or unit\$1 or terminal\$1 or client\$1 or system\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:14
S59	47	(communicat\$4 near4 (crash\$2 or disable\$2)near4 (device\$1 or unit\$1 or terminal\$1 or client\$1 or system\$1)) and (diagnostic near2 (unit or device or terminal or machine or server or system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:14
S60	18	((communicat\$4 near4 (crash\$2 or disable\$2)near4 (device\$1 or unit\$1 or terminal\$1 or client\$1 or system\$1)) and (diagnostic near2 (unit or device or terminal or machine or server or system))) and @ad<"19990501"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:17
S61	16	(communicat\$4 near4 (crash\$2 or disable\$2)near4 (device\$1 or unit\$1 or terminal\$1 or client\$1 or system\$1)) and (714/4.ccls. or 714/24-26.ccls. or 714/31.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:30
S62	23	("4589068"   "5179695"   "5355498"   "5394544"   "5434998"   "5473599"   "5537653"   "5608867"   "5630049"   "5701488"   "5809248"   "5812748"   "5815653"   "5832503"   "5870540"   "5870601"   "5958049"   "5964891"   "5974562"   "5978936"   "6000041"   "6199033"   "6453426").PN.	USPAT	OR	OFF	2004/03/31 14:18
S63	946	tool and 719/3\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:30
S64	6157	(http adj request\$1)(child same parent\$1) and tool\$1 and object\$1 and attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:31

S65	151	(http adj request\$1)and(child same parent\$1) and tool\$1 and object\$1 and attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:31
S66	15	((http adj request\$1)and(child same parent\$1) and tool\$1 and object\$1 and attribute\$1) and 719/3\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:41
S67	192	tool adj server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:43
S68	57	(tool adj server) and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:46
S69	18	((tool adj server) and @ad<"20000201") and http and request\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:45
S70	6	(http adj request\$1) same (tool\$1 adj object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:47
S71	24	(http adj request\$1) and (tool\$1 adj object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:48
S72	291	definition\$1 same (object near3 (librar\$3 or dictionary))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:50
S73	1	(definition\$1 same (object near3 (librar\$3 or dictionary))) and (http adj request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:49
S74	135	(http adj request\$1) and (object near3 (librar\$3 or dictionary))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:50

S75	72	((http adj request\$1) and (object near3 (librar\$3 or dictionary))) and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:51
S76	210	tool adj (dictionary or library)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 14:51
S77	7	(tool adj (dictionary or library)) and 719/3\$.cls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:01
S78	51	reed.inv. and object\$1 and authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:02
S79	17	(reed.inv. and object\$1 and authenticat\$4) and http	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:03
S80	1	"5862325".pn. and (http near3 request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:05
S81	12181	cach\$3 near5 (request\$1 or message\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:05
S82	0	(cach\$3 near5 (request\$1 or message\$1)) and "5901286".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:05
S83	0	"5901286".pn. and cookie\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:06
S84	1	"6332163".pn. and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:06

S85	1	"6332163".pn. and (cach\$3 with (request\$1 or message\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:15
S86	1	("6332163".pn. and (cach\$3 with (request\$1 or message\$1))) and child	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:22
S87	2	helm.inv. and fortin.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:23
S88	0	(helm.inv. and fortin.inv.) and request\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:23
S89	0	(helm.inv. and fortin.inv.) and child	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:25
S90	0	(helm.inv. and fortin.inv.) and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:39
S91	5398	358/1.15.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:44
S92	2430	719/31\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:44
S93	4	358/1.15.ccls. and 719/31\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:45
S94	88969	(request\$1 or establish\$3) near3 (connection or session\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:51

S95	2	("5901286".pn. and request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:51
S96	90806	(request\$3 or establish\$3) near3 (connection or session\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:51
S97	1910	709/227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:51
S98	77	709/227.ccls. and 719/3\$\$ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:52
S99	51	(709/227.ccls. and 719/3\$\$ccls.) and ((request\$3 or establish\$3) near3 (connection or session\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:52
S10 0	14	((709/227.ccls. and 719/3\$\$ccls.) and ((request\$3 or establish\$3) near3 (connection or session\$1))) and tool\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:52
S10 1	16	((709/227.ccls. and 719/3\$\$ccls.) and ((request\$3 or establish\$3) near3 (connection or session\$1))) and (object adj orient\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:53
S10 2	468	709/208.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:53
S10 3	8	709/208.ccls. and 719/3\$\$ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/31 15:53
S10 4	73335	(wireless or cellular or mobile) same (session\$1 or connection\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:38

S10 5	4547	(check\$3 or monitor\$3) near5 availability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:38
S10 6	54	((wireless or cellular or mobile) same (session\$1 or connection\$1)) same ((check\$3 or monitor\$3) near5 availability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:38
S10 7	30	((((wireless or cellular or mobile) same (session\$1 or connection\$1)) same ((check\$3 or monitor\$3) near5 availability)) and @ad<"20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:51
S10 8	95753	establish\$4 near4 (session\$1 or connection\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:39
S10 9	110670	(establish\$4 or request\$3) near4 (session\$1 or connection\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:40
S11 0	21	((establish\$4 or request\$3) near4 (session\$1 or connection\$1)) and (((wireless or cellular or mobile) same (session\$1 or connection\$1)) same ((check\$3 or monitor\$3) near5 availability)) and @ad<"20001222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:44
S11 1	1150	((establish\$4 or request\$3) near4 (session\$1 or connection\$1)) near8 (proxy or cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:50
S11 2	0	((establish\$4 or request\$3) near4 (session\$1 or connection\$1)) near8 (proxy or cache)) and (((establish\$4 or request\$3) near4 (session\$1 or connection\$1)) and (((wireless or cellular or mobile) same (session\$1 or connection\$1)) same ((check\$3 or monitor\$3) near5 availability)) and @ad<"20001222"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:41
S11 3	4336	(database\$1 or repositor\$3) same ((wireless or cellular or mobile) same (session\$1 or connection\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:44

S11 4	47	((database\$1 or repositor\$3) same ((wireless or cellular or mobile) same (session\$1 or connection\$1))) and (((establish\$4 or request\$3) near4 (session\$1 or connection\$1)) near8 (proxy or cache))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:45
S11 5	4	(((database\$1 or repositor\$3) same ((wireless or cellular or mobile) same (session\$1 or connection\$1))) and (((establish\$4 or request\$3) near4 (session\$1 or connection\$1)) near8 (proxy or cache))) and ((check\$3 or monitor\$3) near5 availability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:47
S11 6	249	discovery same ((wireless or cellular or mobile) same (session\$1 or connection\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:47
S11 7	145	(discovery same ((wireless or cellular or mobile) same (session\$1 or connection\$1))) and ((establish\$4 or request\$3) near4 (session\$1 or connection\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:47
S11 8	8	((discovery same ((wireless or cellular or mobile) same (session\$1 or connection\$1))) and ((establish\$4 or request\$3) near4 (session\$1 or connection\$1))) and ((check\$3 or monitor\$3) near5 availability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:50
S11 9	110670	((establish\$4 or request\$3) near4 (session\$1 or connection\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:50
S12 0	75	(((establish\$4 or request\$3) near4 (session\$1 or connection\$1)) ) and discovery and ((wireless or cellular or mobile) same (session\$1 or connection\$1)) and ((check\$3 or monitor\$3) near5 availability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:51
S12 1	37	(((establish\$4 or request\$3) near4 (session\$1 or connection\$1)) ) and discovery and ((wireless or cellular or mobile) same (session\$1 or connection\$1)) and ((check\$3 or monitor\$3) near5 availability) ) and @ad<"20001222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:53
S12 2	8840	synchroniz\$8 same (database\$1 or repositor\$3 or cach\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:55

S12 3	1499	((synchroniz\$8 same (database\$1 or reposit\$3 or cach\$3)) and ((wireless or cellular or mobile) same (session\$1 or connection\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:55
S12 4	31	((synchroniz\$8 same (database\$1 or reposit\$3 or cach\$3)) and ((wireless or cellular or mobile) same (session\$1 or connection\$1))) and ((check\$3 or monitor\$3) near5 availability) and discovery and (((establish\$4 or request\$3) near4 (session\$1 or connection\$1))) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 11:59
S12 5	12023	"455"/\$.ccls. and ((wireless or cellular or mobile) same (session\$1 or connection\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 12:00
S12 6	311	("455"/\$.ccls. and ((wireless or cellular or mobile) same (session\$1 or connection\$1))) ) and discovery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 12:01
S12 7	5	((("455"/\$.ccls. and ((wireless or cellular or mobile) same (session\$1 or connection\$1))) ) and discovery) and ((check\$3 or monitor\$3) near5 availability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 12:00
S12 8	12	((("455"/\$.ccls. and ((wireless or cellular or mobile) same (session\$1 or connection\$1))) ) and discovery) and (synchroniz\$8 same (database\$1 or reposit\$3 or cach\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 12:03
S12 9	295	(synchroniz\$8 same (database\$1 or reposit\$3 or cach\$3)) and "455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 12:03
S13 0	19620	"707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 12:03
S13 1	75536	"455"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 12:03



S13 2	78	"455"/\$.ccls. and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 12:04
S13 3	6	("455"/\$.ccls. and "707"/\$.ccls.) and (synchroniz\$8 same (database\$1 or repositor\$3 or cach\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 13:57
S13 4	2	"6574668".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 13:58
S13 5	2	("20020026514").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/08 16:48
S13 6	2	("20030099402").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/08 17:44
S13 7	2	("6415323").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/08 17:45
S13 8	2	("6611872").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/08 17:46
S13 9	2	("6667700").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/08 17:46
S14 0	0	(tool adj object\$1) same (webpage\$1 or (web adj page\$1) or (web adj document\$1) or html)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:30

S14 1	42	(tool adj object\$1) and (webpage\$1 or (web adj page\$1) or (web adj document\$1) or html)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:32
S14 2	6112	control\$4 near3 (access or action\$1) near4 (interface or tool)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:33
S14 3	21	helm.inv. and andrew	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:36
S14 4	12	"5592600".URPN.	USPAT	OR	OFF	2004/04/13 14:34
S14 5	11117	telefonaktiebolaget.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:36
S14 6	2	telefonaktiebolaget.asn. and helm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:37
S14 7	0	(telefonaktiebolaget.asn. and helm) and request\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:37
S14 8	0	(telefonaktiebolaget.asn. and helm) and tool\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:37
S14 9	1	telefonaktiebolaget.asn. and fortin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:38
S15 0	1	telefonaktiebolaget.asn. and boucher	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:38
S15 1	352	telefonaktiebolaget.asn. and tool\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:38

S15 2	78	(telefonaktiebolaget.asn. and tool\$1) and model	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:39
S15 3	4256	tool near2 manag\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:40
S15 4	10	(tool near2 manag\$8) and telefonaktiebolaget.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:45
S15 5	102	ellis.inv. and raymond	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:46
S15 6	77	(ellis.inv. and raymond) and @ad<"20000201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/13 14:46
S15 7	12	("4672185"   "4888473"   "4930086"   "5097421"   "5237322"   "5387993"   "5389769"   "5412644"   "5536128"   "5701330"   "5742238"   "5867389"). PN.	USPAT	OR	OFF	2004/04/13 14:50
S15 8	1	"6418352".URPN.	USPAT	OR	OFF	2004/04/13 14:49
S15 9	16	"5742238".URPN.	USPAT	OR	OFF	2004/04/13 14:50
S16 0	0	domain adj logic adj corp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:11
S16 1	236	domain adj logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:11
S16 2	6	S161 and ellis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:11

S16 3	364	asyst	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:11
S16 4	0	S163 and ellis.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:12
S16 5	0	S161 and S163	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:32
S16 6	6	"6470227".pn. or "6463352".pn. or "6658571".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:36
S16 7	1	S166 and (webpage\$1 or html or http\$1 or (web adj page\$1) or url\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:05
S16 8	7	"6349341".pn. or "5291416".pn. or "6708223".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:36
S16 9	25	"5291416".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:36
S17 0	6	(S168 or S169 or S166) and (webpage\$1 or hypertext\$1 or html or http\$1 or (web adj page\$1) or url\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:38
S17 1	9	(S168 or S169 or S166) and (webpage\$1 or hypertext\$1 or html or http\$1 or (web adj page\$1) or url\$1 or gui)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:47
S17 2	2	(S168 or S169 or S166) and (webpage\$1 or hypertext\$1 or html or http\$1 or (web adj page\$1) or url\$1 or gui) and pars\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:00

S17 3	1	S172 and client\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:58
S17 4	2	S166 and client\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:58
S17 5	1	S172 and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:00
S17 6	0	S168 and cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:08
S17 7	1	"6470227".pn. and (internet or wan or internet or network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:09
S17 8	1	S177 and client\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:13
S17 9	1	S177 and type\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:14
S18 0	2	"6463352".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:14
S18 1	1	S180 and type\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:21
S18 2	1	S181 and edit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:22

S18 3	1	S181 and pars\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:23
S18 4	0	S177 and pars\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:25
S18 5	1	S177 and respon\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:25
S18 6	1	S177 and respon\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:27
S18 7	1	S186 and request\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:26
S18 8	0	S186 and url\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:27
S18 9	1	S186 and address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 18:04